HP LaserJet Managed MFP E731dn Printer series



Powerful, Flexible, Secure

Change is the only constant in business. Transform your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers you'll stay secure and simplify fleet management for busy IT pros



Customizable solutions built to last

- Your business needs met. Make the most of performance with unprecedented, flexible configurations built to support the demands of your business.
- Expand device functionality and performance with upgradeable options through any point in contract.
- Unleash your creativity and match any office décor with modern designs and the option of five customizable color panels.
- Make your day-to-day easier by customizing your print experience with cloud-connected HP Workpath apps that let you access personalized content, integrate paper and digital workflows.

Unleash peak productivity

- Tackle anything with our powerful CPU. Maximize your productivity and increase your overall print performance by copying, scanning and printing documents of all sizes at virtually full speed.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 10.1-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart firmware.³
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.

Always on guard with HP Wolf Security

- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified⁶ to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ with active system monitoring is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

Better printing, for a better planet

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content.
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic.⁸ Printing that puts the
 planet first.
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Gold, Energy Star, and Blue Angel.
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

Product walkaround

- 1. Hardware Integration Pocket (for connecting accessories and third-party devices)¹
- 2. Flatbed scanner handles sheets up to A3
- 3. 500-sheet output bin
- 4. Automatic two-sided printing
- 5. Easy-access USB port²
- 6. Front door access to toner cartridges
- 7. HP High-Performance Secure Hard Disk
- 8. Slot for cable-type security lock
- 9. SuperSpeed USB 3.0 Host Port
- 10. Hi-Speed USB 2.0 Host Port
- 11. Gigabit Ethernet Port
- 12. SuperSpeed USB 3.0 device port
- 13. 520-sheet tray 3 supports media sizes up to A3
- 14. 200-sheet dual side ADF supports media sizes up to A3
- 15. 25.6 cm (10.1 inch) color touchscreen display
- 16. Power button
- 17. Right door access to the print path
- 18. 100-sheet multipurpose tray 1 supports media sizes up to A3
- 19. 520-sheet tray 2 supports media sizes up to A4
- 20. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3



Series at a glance

Series at a glarice				
Model	HP LaserJet Managed MFP E731dn			
Product number	5QJ98A	5QJ98A (Base) + 8EP58AAE (Speed license)	5QJ98A (Base) + 8EP59AAE (Speed license)	
Print speed (A4 and letter, black and color) ³	Up to 30 ppm	Up to 35 ppm	Up to 40 ppm	
Scan speed(A4 and letter, black and color)4	90 ppm/180 ipm, simplex/duplex			
Functions	Print, copy, and scan (fax and wireless optional) (all models)			
ADF capacity	200 sheets			
Input capacity	Standard: 1,140 sheets; Maximum: 3,140 sheets (all models)			
Advanced workflow features	No			

Top features

Optimize your workflows and help increase productivity with upgradeable hardware options and scalable solutions to support your workforce for today and tomorrow.

Get more done faster with printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Gold, Blue Angel and Energy Star standards 7; supporting HP's goal for carbon neutrality and a fully sustainable economy.

Services and Solutions

Service and Support	U04NZE HP 3 year Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04P0E HP 4 year Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04P1E HP 5 year Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04PWPE HP 1 year Post Warranty Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04PWPE HP 2 year Post Warranty Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04PRE HP 1 year Posts Warranty Next Business Day with Defective Media Retention Service for Laser Jet Managed MFP E731xx U04PRE HP 1 year Parts Exchange Service for Laser Jet Managed MFP E731xx (Managed Component Only) U04PSE HP 3 year Parts Exchange Service for Laser Jet Managed MFP E731xx (Managed Component Only) U04PVE HP 5 year Parts Exchange Service for Laser Jet Managed MFP E731xx (Managed Component Only) U04PVE HP 5 year Parts Exchange Service for Laser Jet Managed MFP E731xx (Managed Component Only) U04QPE HP 1 year Post Warranty Parts Exchange Service for Laser Jet Managed MFP E731xx (Managed Component Only)
	U04Q1PE HP 2 year Post Warranty Parts Exchange Service for LaserJet Managed MFP E731xx (Managed Component Only)
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Command Center; HP Smart Printer Administrator's Resource Kit

² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
3 An administrator must enable the easy-access USB port before use.
4 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
5 can speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Accessories	I and the second of the second
Accessories	155P7A HP LaserJet InnerFinisher 2/3 Hole Punch
	155P8A HP LaserJet InnerFinisher 2/4 Hole Punch 155P9A HP LaserJet Inner Finisher Swedish Hole Punch
	13073A HP LaserJet Minter Finishier Swedish note Pulcti 190A1A HP LaserJet Workgroup Lunar Gray Color Panel
	190A3A HP Laser Jet Department Lunar Gray Color Panel
	190A6A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Lunar Gray Color Panel
	190A7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Lunar Gray Color Panel
	190A9A HP LaserJet Workgroup Stand Lunar Gray Color Panel
	190B1A HP LaserJet Workgroup Comet Red Color Panel 190B3A HP LaserJet Department Comet Red Color Panel
	19086A HP LaserJet Workgroup 2x520 sheet Paper Tray/Stand Comet Red Color Panel
	190B7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Comet Red Color Panel
	190B9A HP LaserJet Workgroup Stand Comet Red Color Panel
	190C1A HP LaserJet Workgroup Cosmic Green Color Panel 190C3A HP LaserJet Department Cosmic Green Color Panel
	190CSA HP Laser Jet Department. Cosmic Green Coton Paniel 190CSA HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Cosmic Green Color Panel
	190C7A HP Laser Jet Workgroup High Capacity Paper Tray/Stand Cosmic Green Color Panel
	190C9A HP Laser Jet Workgroup Stand Cosmic Green Color Panel
	190D1A HP Laser Jet Workgroup Constellation Yellow Color Panel
	19003A HP Laser Jet Department Constellation Yellow Color Panel
	190D6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Constellation Yellow Color Panel 190D7A HP Laser Jet Workgroup High Capacity Paper Tray/Stand Constellation Yellow Color Panel
	19009A HP LaserJet Workgroup Stand Constellation Yellow Color Panel
	190F1A HP Laser Jet Workgroup Aurora Purple Color Panel
	190F3A HP LaserJet Department Aurora Purple Color Panel
	190F6A HP Laser Jet Workgroup 2x520 sheet Paper Tray/Stand Aurora Purple Color Panel
	190F7A HP LaserJet Workgroup High Capacity Paper Tray/Stand Aurora Purple Color Panel 190F9A HP LaserJet Workgroup Stand Aurora Purple Color Panel
	190794 HE Jase Jet Workgroup Station Aurora Purpie Color Panel. 2MU47A HP Accessibility Assistant
	2NR12A HP Removable Hard Drive Enclosure
	2TD64A HP Accessibility Kit
	3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory
	478C2A HP Printing Voice Assistant 4QL32A HP Legic Secure USB Reader
	50K14A HP MPP 810 Analog Dual Fax
	6GW46A HP LaserJet 2x520 sheet Workgroup Paper Tray/Stand
	6GW48A HP LaserJet 2000 sheet Workgroup High Capacity Paper Tray/Stand
	6GW49A IPL LaserJet Inner Finisher
	6GW51A HP LaserJet Booklet Finisher 6GW52A HP LaserJet Workgroup Job Separator
	66W54A HP LaserJet Workgroup Stand
	6GW55A HP LaserJet Stapler/Stacker Finisher
	6GW58A HP LaserJet Spacer Accessory
	7ZAO7A HP MFP 811 Analog Dual Fax
	7ZAO8A HP MFP 800 Analog Single Fax 7ZAO9A HP MFP 801 Analog Single Fax
	7 ZAOSA HE PIER SOLI AND ACCESSORY 8FP31A HP Jetdirect LAN Accessory
	B5L31A HP Foreign Interface Harness
	X3D03A HP USB Üniversal Card Reader
	Y1611A HP LaserJet Hole Punch 2/4 Accessory
	Y1G12A HP LaserJet Hole Punch Swedish Accessory Y1G13A HP LaserJet Inner/Booklet Staples
	Y1614A HP Laser let Stapler/Stacker Finisher Staples
	Y1G22A HP LaserJet Paper Tray Heaters Accessory
	Y1G23A HP Laser Jet Second Exit Accessory
	Y7C05A HP HIP2 Keystroke Reader Y7C07A HP SIM for HID iClass for HIP2 Reader
Speed Licenses	8EP58AAE HP LaserJet Managed MFP E731 30 to 35ppm License
	8EP59AAE HP LaserJet Managed MFP E731 30 to 40ppm License
	8LB47AAE HP LaserJet Managed MFP E731 35 to 40ppm License
Supplies	W9064MC HP W9064MC Black Managed LaserJet Toner Cartridge
	W9065MC HP W9065MC High Yield Black Managed LaserJet Toner Cartridge

^{*} HP LaserJet Workflow Accelerator Card, 6HN30A will be available in January 2023.

Data sheet | HP LaserJet Managed MFP E731dn Printer series

Technical specifications

recrimical specin	Cations					
Functions	Print, copy, scan, fax (optional)					
Print speed ^{1,2}	A4 Black	Up to 30 ppm	Up to 35 ppm (with 8EP58AAE)	Up to 40 ppm (with 8EP59AAE)		
Print	First page out A4 Black	As fast as 7.6 sec	As fast as 6.7 sec (with 8EP58AAE)	As fast as 6.5 sec (with 8EP59AAE)		
resolution##prntresftntnbr	Black (normal): Up to 600 x 600 d ##	pi; Black (fine lines): Up to 1200 x 120	U dpi reduced speed			
Print technology		1200 dpi); Normal (600 x 600 dpi); Qu	ick view (300 x 300 dpi)			
Print cartridges number	1 (black)					
Standard print languages	HP PCL 5e, HP PCL 6, HP Postscrip	ot level 3 emulation, PDF (v 1.7), AirPr	nt™ compatible			
Printer smart software	Print preview, duplex printing, prin	nt multiple pages per sheet (2, 4, 6, 9,	16), collation, watermarks, store print jobs, easy-a	ccess USB		
features Color scanning	Yes					
Scan speed Normal ³		to 00 ppm/190 ipm (color) Duploy: Hr	to 180 ipm (b&w), up to 180 ipm (color)			
Scan type / Technology		vice (CCD) Flatbed; Contact Image Ser				
Scan resolution	Hardware: Up to 600 x 600 dpi; 0		SUI (CI3) ADF			
Scan file format						
Scan input modes	Hi-Compression PDF; JPEG; MTIFF		down C to LICD: C to Lob Ctown O To to a	Chility District (OVD) LID Mades at		
Scarriput modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications					
Scan Size	ADF Maximum: 297 x 420 mm; Al	OF Minimum: 68 x 127 mm; Flatbed: 2	97 x 432 mm;			
Duplex ADF scanning	Yes, single pass duplex scanning					
ADF capacity	Standard, 200 sheets					
Twain version	Version 2.4					
Bit depth / Grayscale levels	24-bit/256					
Digital sending standard features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; SM over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; blar page suppression; automatically straighten					
Copy speed ⁷	A4 Black	Up to 30 cpm	Up to 35 cpm (with 8EP58AAE)	Up to 40 cpm (with 8EP59AAE)		
	A4 Black Duplex	Up to 20 cpm	Up to 23 cpm (with 8EP58AAE)	Up to 25 cpm (with 8EP59AAE)		
Copy resolution	First copy out A4 Black	As fast as 5.0 sec	As fast as 4.6 sec (with 8EP58AAE)	As fast as 4.0 sec (with 8EP59AAE)		
Maximum number of copies	Black (text and graphics): ; Up to 6	500 x 600 api				
Copier resize	25 to 400%					
Copier settings	Booklet; Collation; Content orientation; Edge Erase; Image adjustment; Job build; N or Z-ordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enl mode (book, 2-sided ID); Stamps; Image overlay; Image shift; Image preview; Paper selection; Blank page suppression; Scan to job storage; Automatically					
Fax speed	Up to: 33.6 kbps					
Fax resolution	Black (best): Up to 300 x 300 dpi (400 x 400 dpi for received faxes only); Black (standard): 203 x 98 dpi					
Fax Features	Fax memory: Up to 500 pages; Auto fax reduction supported: Yes Auto-redialing: Yes Fax delayed sending: No Distinctive ring detection supported: No Fax forwarding supported: Yes Fax phone TAM interface supported: No Fax polling supported: Yes (poll to receive only) Fax telephone mode supported: No Junk barrier supported: Yes Maximum speed dialing numbers: Up to 1000 numbers (each with 210 destinations) PC interface supported: Yes Remote retrieval capability supported: No Telephon handset supported: No					
Standard connectivity	1 Gigabit Ethernet 10/100/1000T network; 1 Hardware Integration Pocket 2nd generation (HIP2); 1 Hi-Speed USB 2.0 (host); 1 SuperSpeed USB 3.0 (device); 1 SuperSpeed USB 3.0 (host)					
Network capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)					
Wireless capability	Optional, enabled with purchase of a hardware accessory					
Mobile printing capability	Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); PrinterOn Print					
Memory	Standard:6GB; Maximum:6GB					
Processor speed	Quad Core (1.6GHz), Dual Core (1.4GHz) / Storage : Standard, embedded 500 GB hard disk drive / Hard disk : Standard, HP LaserJet 500GB Hard Disk Drive; AES 256 hardware encryption; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)					
Duty cycle (monthly)	A4:	Up to 110,000 pages	Up to 130,000 pages (with 8EP58AAE	Up to 150,000 pages (with 8EP59AAE)		
Recommended monthly page volume	Up to 20,000					

Technical specifications

Paper handling Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets) Output Capacities: Up to 1140 sheets (Tray1: up to 100 sheets) Output Capacities: Up to 500 sheets (Sandard paper trays: 3 Media types supported Plan. HP ECREPICENT HP Matte 900; (2nd stock 176-226) Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labets, Letterhead, Envelope, Preprinted, Pre punched, Colored Media weight supported Tray 1: R3 1AA, ARR, AS, ASR, ASR, ASR, ASR, ASR, AS		
Dujex Options: Automatic: Envelope Feeder: No. Standard paper trays: 3 Media types supported Pain, IPE Coeff.ICEN. IPM Patter 90.01, pt. 160-749, Bond, Necytled, IPM Patter 105g, HP Matter 120g, Mid-Weight 96-110g, Heavy 111-130g, HP Matter 200g, Card stock 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored Media weight supported Tray 1: Rob. 10 300 gm/F. Tray 2; 3: Sio Ha, Recytled, HP Matter 105g, HP Matter 120g, Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored Media sizes supported Tray 1: Rob. 10 300 gm/F. Tray 2; 3: Sio Ha, Recytled, HP Matter 105g, HP	Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes; Input Capacities, Max: Up to 3140 sheets;
Plain, HP EcoEFICIENT, HP Matte 1904, Light 60 -74g, Bond, Recycled, HP Matte 1020, Mid-Weight 96-110g, Heavy 111-130g, HP Matte 150g, Extra Heavy 131-175g, HP Media very brown and the 200g, Card Stock 176-220g, Light 160 -74g, Bond, Recycled, HP Matte 1020g, Mon 17araparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored Media very head of the 200g, Card Stock 176-220g, Light 160 -125g, Paperboard 255g-30g, Mon 17araparency, Labels, Letterhead, Envelope C6, Envelope C6, Envelope C7, Enve		
Mate 200g. Card stock 176-220g. Light Paperboard 221-255g. Paperboard 256-300g. Mono Transparency, Labels, Letterhead, Envelope, Preprinted, Pre punched, Colored Media sizes supported Tay 1: 60 to 300 g/m² Tray 2; 2: 60 to 20 g/m² Media sizes supported Tay 1: 60 to 300 g/m² Tray 2; 2: 60 to 20 g/m² Tay 1: 60 to 300 g/m² Tray 2; 2: 60 to 20 g/m² Tay 1: 60 to 300 g/m² Tray 2; 2: 60 to 20 g/m² Tay 1: 60 to 300 g/m² Tray 2; 2: 60 to 20 g/m² Tay 1: 60 to 300 g/m² Tray 2; 13 g/m² Ag RAB,		
Media sizes Supported Tray 1: 60 to 300 g/m²; Tray 2; 3: 60 to 220 g/m² Media Sizes Supported Tray 1: 3,6 x 14,8 x 14,8 x 15,8 x 16,8 x 19,8 x 16,8 x 19,8 x 19,8 x 18,8 x 19,8 x 19,8 x 18,8 x 19,8 x	Media types supported	
Media Sizes supported Tay 1: A3, A4, A4R, A5, A6R, A6, R4, R4 (IS), B5 (IS), B6		
Rad, SRA4, Bd (JIS), B5 (JIS), Oftion, 16ix, Tray 3: A3, A4, ARA, SRA4, SRA4, Bd (JIS), B5 (JIS), Oftion, BX, Tok What's in the box SQJ8BAHP Laser Jet Managed MFP E731 din Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Labet; Drums Replacement cartridges HP Black Managed Laser Jet Tomer Cartridge (ISO Yield 24,000) W3064MC; HP Black Managed Laser Jet Tomer Cartridge (ISO Yield 48,000) W3065MC Product dimensions W Xd X ht SSS x 646 x 858.1 mm; Makimum; 16i3 tt 1196 x 1191 mm; Product weight 1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. Energy star certified Yes Ecolabels EPEAT® registered; IT ECO Declaration; Blue Angel Control panel 101-1n (25.65 cm) Color Graphics Display (CGD) with tourbscreen; rotating (adjustable angle) display; Speaker Display description 25.65 cm (10.1-in) tourbscreen, WXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com Security management Energy star (Percent Color Graphics Display (CGD) with tourbscreen; NXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com Beactify management Energy star (Percent Color Graphic Display (CGD) with tourbscreen; NXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://123.hp.com Beactify management Energy star (Percent Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com/pl.com		
What's in the box SOJ98A HP LaserJet Managed MEP E731 dh Printer: in box materials: Guide install; Flyer Regulatory; Power Cords; Label; Drums	Media sizes supported	
Replacement cartridges* HP Black Managed Laser let Toner Cartridge (ISO Yield 48,000) W9065MC Product dimensions	Media Sizes Custom	Tray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm
Product drienesions W. xd. xb: 585 x 646 x 858.1 mm; Maximum: 1681 x 1196 x 1191 mm; Product weight G3 kg; 1 Year Parts Only, Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. Energy star certified Yes Ecolabels EPEAT* registered; IT ECO Deciaration; Blue Angel Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker Display description 25.65 cm (10.1-in) touchscreen, WKGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://hp.com/http://123.hp.com Software included No software solutions are included in the Box only on http://hp.com/http://hp.co	What's in the box	5QJ98A HP Laser Jet Managed MFP E731dn Printer; In box materials; Guide install; Flyer Regulatory; Power Cords; Label; Drums
Product weight Warranty features 1 Year Parts Only. Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. Energy star certified Yes Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker Display description Software included No software solutions are included in the Box only on http://hp.com/thm/p	Replacement cartridges ¹	HP Black Managed Laser Jet Toner Cartridge (ISO Yield 24,000) W9064MC; HP Black Managed Laser Jet Toner Cartridge (ISO Yield 48,000) W9065MC
The Parts Only, Extended Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. The Parts of Service and support options in your region. The Parts of Service and support options in your region. The Parts of Service and support options in your region. The Parts of Service and support options in your region. The Parts of Service and Support options in your region. The Parts of Service and Support options of Service and Servic	Product dimensions	W x d x h: 585 x 646 x 858.1 mm; Maximum : 1681 x 1196 x 1191 mm;
Service and support options in your region.	Product weight	63 kg;
Ecolabels EPEAT® registered; IT ECO Declaration; Blue Angel Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://hp.com/	Warranty features	
Control panel 10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen, rotating (adjustable angle) display; Speaker Display description 25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://hp.com http://hp.com/hp.com http://hp.com http://hp.com/hp.com htt	Energy star certified	Yes
Display description 25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD) Software included No software solutions are included in the Box only on http://lpc.com http://lpc.com/go/unixmodelscripts, lbc.work. Becurity management Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Psec/firewall with Certificate/Pres-hared Key authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Psec/firewall with Certificate/Pres-hared Key authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Psec/firewall with Certificate/Pres-hared Key authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: Psec/firewall with Certificate/Pres-hared Key authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication clearly devanced authentication (EAP-PEAP; EAP-TLS), SMMPv3, HTTPS, Certificates; Data Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Interdity Checking with self-healing capability), Intrusion Devenors Press Start Secure Boot (BIOS Interdity Checking with self-healing capability), Intrusion Devenors Pressored and accessible in Arcsight and Splunks Press Start Secure Boot (BIOS Interdity Checking with Pressore Start Secure Boot (BIOS Interdity Checking With Press Start Secure Boot (BIOS Interdity Memory Start Start Secure Boot (BIOS	Ecolabels	EPEAT® registered; IT ECO Declaration; Blue Angel
Software included No software solutions are included in the Box only on http://hp.com http://hp.com/ldcde, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate/Pre-Shared Key authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPSec/firewall with Certificate/Pre-Shared Key authentication, Supports WJA-10 IPSec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code). HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs Compatible operating systems Windows 11; Windows Sierver 2016 Read-bit, Windows Server 2019 Read-bit, Windows Server 2019 Read-bit, Windows Server 2016 Read-bit, Windows Server 2019 Read-b	Control panel	10.1-in (25.65 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker
Identity management Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 [Psec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPV3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs Compatible operating systems Compatible network operating systems Windows 11; Windows 10; Windows Client OS; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows 11; Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit,	Display description	25.65 cm (10.1-in) touchscreen, WXGA Color Graphic Display (CGD)
IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted Dr & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity, Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield**, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs Compatible operating systems Windows SI; Windows Server 2018; Android; iOS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Chrome OS Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 R4-bit, Windows Server 2016 R2-bit, Windows Se	Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com
Compatible network operating systems Windows Server 2008 R2 64-bit, Windows Server 2012 64-bit, Windows Server 2012 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Windows Server 2018 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2022 64-bit, Windows Server 2018 R2 64-bit, Windows Server 2018 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 64-bit, Windows Server 2018 64-bit, Windows		IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
bit, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://citrixready.citrix.com, Linux- For more information see http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-Linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/hp-Linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates) Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 650 watts (40ppm, printing), 35.0 watts (sedey), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 5.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing), 51 dls(A), printing simplex A4 at 30ppm; 52.5 dls(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dls(A), ADF scan A4 at 90ppm; 58 dls(A), ADF scan A4 at 10ppm; 53 dls(A), ADF scan A4 at 10ppm; 53 dls(A), ADF scan A4 at 10ppm; 53 dls(A), ADF scan A4 at 10ppm; 54 dls(A), ADF scan A4 at 10ppm; 55 dls(A), ADF scan A4 at		
http://citrixready.citrix.com, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://developers.hp.com/hp-linux-imaging-and-printing.hp-land-printing.hp-linux-imaging-and-printing.hp-land-printing simplex Ad ad Gib and advice gas advised specific see apple.com Power supply type: Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Internet connect		
http://hp.com/go/unixmodelscripts, Linux- For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix- For more information see http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates) Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 650 watts (40ppm, printing), 35.0 watts (seep), 0.2 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 5.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 30ppm; 53 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 50ppm; 52.5 dB(A), Printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 50ppm; 55 dB(A), ADF scan A4 at	systems	
http://hp.com/go/unixmodelscripts, (All operating systems with the latest updates) Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Internal (Built-in) power supply: Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 5.70 Bel(A), printing simplex A4 at 35ppm; 5.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing); 51 d8(A), pinting simplex A4 at 35ppm; 52.5 d8(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan); 56 d8(A), ADF scan A4 at 90ppm; 58 d8(A), ADF scan A4 at 120ipm; 53 d8(A), ADF scan A4 at 60ppm Operating environment Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH;		
Minimum system requirements PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 650 watts (40ppm, printing), 35.0 watts (seep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing). 51 dls(A), printing simplex A4 at 35ppm; 52.5 dls(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dls(A), ADF scan A4 at 90ppm; Sd Bls(A), ADF scan A4 at 120ipm; 53 dls(A), ADF scan A4 at 120ipm; 54 dls(A), ADF scan A5 dls(A), ADF scan A6 at 120ipm; 54 dls(A), ADF scan A7 at		
space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com Power Supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 550 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (manual-off) Acoustics Acoustics Acoustic Opwer emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 50ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 120ipm; 58 dB(A), ADF scan A4 at 10ppm; 58 dB(A), ADF scan A4 at 10ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 10ppm; 58 dB(A), ADF scan A4 at 10ppm; 58 dB(A), ADF scan A4 at 10ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 10ppm; 58 dB(A), ADF scan A4 at 10ppm; AB at 10ppm; AB	Minimum system requirements	
Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 220 to 240VAC 50/60Hz; Power consumption: 560 watts (30ppm, printing), 620 watts (35ppm, printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), ADF scan A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 30ppm; 58 dB(A), ADF scan A4 at 120pm; 53 dB(A), ADF scan A4 at 10ppm; 58 dB(A), ADF scan A4 at 10pp	riii iii liulii system requirements	
printing), 650 watts (40ppm, printing), 35.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off) Acoustics Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 35ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 35ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; 58 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 90ppm; 58 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan A4 at 90ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; 58 dB(A), ADF scan A4 at 120ppm; 53 dB(A), ADF scan	Dower	
Acoustics Acoustic power emissions: 6.65 Bet(A), printing simplex A4 at 30ppm; 6.70 Bet(A), printing simplex A4 at 30ppm; 6.75 Bet(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ppm; S8 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm Operating environment Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to 80% RH;	Fowei	
		Acoustic power emissions: 6.65 Bel(A), printing simplex A4 at 30ppm; 6.70 Bel(A), printing simplex A4 at 30ppm; 6.75 Bel(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active, printing): 51 dB(A), printing simplex A4 at 30ppm; 52 dB(A), printing simplex A4 at 30ppm; 52.5 dB(A), printing simplex A4 at 40ppm; Acoustic Pressure Emissions (active scan): 56 dB(A), ADF scan A4 at 90ipm; 58 dB(A), ADF scan A4 at 120ipm; 53 dB(A), ADF scan A4 at 60ipm
	Operating environment	

Messaging Footnotes

¹ HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit http://www.hp.com/go/PrintersThatProtect. For more information, visit http://www.hp.com/go/PrinterSecurityClaims.

Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps. To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required

3 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

4 HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin.

- ⁵ HP Security is now HP Wolf Security. Security features vary by platform. For more information, visit http://www.hp.com/wolfsecurity.

 ⁶ Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf
- 7 100% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.
 8 100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See https://www.hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.
 9 HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria

Technical Specifications Footnotes

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and
- Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

- Approximate average yield based on ISO/IEC 19752. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printer claims. Exact speed varies depending on the system configuration and document

Acoustic values are subject to change. For current information see https://www.hp.com/support

